

Color Mini Square Camera - 380TV Lines 30x30 - Cone Pinhole

KPC-S700CP1

L1/3 " Sony Super HAD CCD / 380TV Lines

0.5Lux @ F2.0

3.7mm Cone Pinhole Lens

Option : Mirror Mode, Audio

Dimension : 30(W)×30(H)mm

\$120.00

Product Details

Specifications:

Image Sensor - 1/3" SONY Super HAD CCD

Scanning System - 2:1 Interlace

Scanning Frequency - NTSC - H : 15.734 (KHz), V : 59.94 (Hz) / PAL - H : 15.625 (KHz), V : 50 (Hz)

Total Pixels - NTSC - 537(H) x 505(V) 270K / PAL - 537(H) x 597(V) 320K

Effective Pixels- NTSC - 510(H) x 492(V) 250K / PAL - 500(H) x 582(V) 270K

Horizontal Resolution - More than 380 TV Lines

Electronic Shutter - NTSC - 1/60 ~ 1/100,000sec Auto, PAL - 1/50 ~ 1/100,000sec Auto

S/N Ratio - More than 48dB

Gamma Correction-  $\gamma = 0.45$

Audio - Option

White Balance - Automatic (2,400 ° K ~ 8,000 ° K)

Sensitivity - 0.5 Lux @ F 2.0

Sync System - Internal

Video Output - Composite 1[vp-p]75( $\Omega$ ) unbalanced

Power Supply - DC12V ( $\pm 10\%$ )

Power Consumption - 140mA or less

Operating Temperature -  $-10^{\circ}\text{C} \sim +60^{\circ}\text{C}$  (Humidity : 10%RH ~ 60%RH)

Storage Temperature -  $-20^{\circ}\text{C} \sim +60^{\circ}\text{C}$  (Humidity : 10%RH ~ 60%RH)

Dimensions - 30mm(W) x 30mm(H)

Lens Options - 3.7mm, 4.3mm Cone Pinhole

Options - Audio, Mirror Mode